

REV	DESCRIPTION	DATE	APPROVED
A	REV A DRAWING RELEASED	06/20/2018	DFRRIELLO

REV	DESCRIPTION	DATE	APPROVED
A	REV A DRAWING RELEASED	06/20/2018	DFRRIELLO

REV	DESCRIPTION	DATE	APPROVED
A	REV A DRAWING RELEASED	06/20/2018	DFRRIELLO

REV	DESCRIPTION	DATE	APPROVED
A	REV A DRAWING RELEASED	06/20/2018	DFRRIELLO


REV	DESCRIPTION	DATE	APPROVED
A	REV A DRAWING RELEASED	06/20/2018	DFRRIELLO

REV	DESCRIPTION	DATE	APPROVED
A	REV A DRAWING RELEASED	06/20/2018	DFRRIELLO

REV	DESCRIPTION	DATE	APPROVED
A	REV A DRAWING RELEASED	06/20/2018	DFRRIELLO

REV	DESCRIPTION	DATE	APPROVED
A	REV A DRAWING RELEASED	06/20/2018	DFRRIELLO

PROPRIETARY NOTICE
 This document discloses confidential subject matter in which MilesTek Corporation and its subsidiaries have proprietary rights. Neither receipt nor possession thereof confers or warrants the right to reproduce, copy, or disseminate any part thereof, or to practice any method or process, except by written permission from, or written agreement with MilesTek Corporation and its subsidiaries.



"P1"	WIRE COLOR	"P2"
1	BLACK	1
2	BROWN	2
3	RED	3
4	ORANGE	4
5	YELLOW	5
6	GREEN	6
7	BLUE	7
8	VIOLET	8
9	GRAY	9
10	WHITE	10
11	PINK	11
12	LIGHT GREEN	12
13	BLACK / WHITE	13
14	BROWN / WHITE	14
15	RED / WHITE	15
SHELL	DRAIN WIRE	SHELL

MODEL NUMBER	LENGTH	
	FEET	METERS
HAD00010-1F	1.0	0.31
HAD00010-205F	2.5	0.76
HAD00010-5F	5.0	1.52
HAD00010-6F	6.0	1.83
HAD00010-10F	10.0	3.05
HAD00010-12F	12.0	3.66
HAD00010-15F	15.0	4.57
HAD00010-25F	25.0	7.62
HAD00010-50F	50.0	15.24

NON CONTROLLED DRAWING IF PRINTED

CAD SYSTEM DRAWING - DO NOT REVISE MANUALLY			
SIGNATURE	DATE	MILESTEK CORPORATION 301 E. WILSON AVE. SUITE 100 MILWAUKEE, WI 53212 PHONE: (940) 484-4400 FAX: (940) 564-1047	
DRAWN BY: DFRRIELLO	06/14/2018	MilesTek MilesTek Corporation MilesTek Corporation	
CHECKED BY: JLABOY	06/14/2018	TITLE CABLE, PREMIUM, HD15 M/M	
APPROVED BY: B.GATES	6/14/18	SHE DRAWING NUMBER: HAD00010	
APPROVED MANUFACTURING:		SCALE: NTS	
CUSTOMER APPROVAL		CAGE CODE: 42977	
UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES		CUSTOMER REFERENCE DOCUMENT:	
OVERALL CABLE LENGTH TOLERANCE: S12 (305) = +1 (25) / -0 S17 (305) S60 (1524) = +2 (51) / -0 S20 (305) S120 (3048) S320 (7620) = +4 (102) / -0 S300 (7620) = +3% / -0%		DASH	
ALL OTHER DIMENSIONAL TOLERANCES: X = ± 2 (50.8) Y = ± 2 (50.8) Z = ± 2 (50.8) XXX = ± 2.003 (1.3)		NEXT ASSY	
APPLICATION		USED ON	
SHEET 1 OF 1			

CONNECTOR PINS: GOLD PLATED.

CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.

CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH MILESTEK SPECIFICATION PS-0054.

REGULATORY COMPLIANCE:
 CE2011/65/EU (RoHS DIRECTIVE)